LETTER OF ACKNOWLEDGMENT

Attached please find a copy of our Building Application.
By signing this form you acknowledge that you have received, read and understood RPIA's architectural guidelines herein.
Any and all construction, renovation and/or alteration that will take place at Royal Palm must adhere to the guidelines provided.

Date:	
Resident Name:	
Resident Signature:	

Builder Permit Boards in RPIA - Clarification

Dear Valued Builder,

Recently we have received several homeowner and builder inquiries regarding the sign policy within the Royal Palm community. To be clear, signs are not allowed on properties within Royal Palm.

The only exceptions to this policy is with regards to authorized Builder Permit Boards and RPIA purchased Open House signs for realtors & property owners. The purpose of this letter is provide clarification regarding the purpose and authorized use of Builder Permit Boards.

The sole purpose for authorized use of a Royal Palm Builder Permit Board on a Royal Palm property is to provide a uniform location for posting necessary building permits relevant to work being done on that property (to be posted on the backside of the Builder Permit Board) and for the identification of address and contractor. This provides critical identification for life safety, ie the fire department, and ensures the least amount of disruption for subcontractor deliveries.

If city permits are not required or if these permits are posted on the building or within the building itself, Builder Permit Boards are not required and will not be allowed. Once work has been completed on a property, and city permits are no longer required, the Builder Permit Board must be removed. No Builder Permit Board shall be erected prior to the point in time when city authorized building permits have been issued and are available for posting.

If a Builder Permit Board is erected that is not in conformance with the above stated purpose and timing, the Builder will receive formal notification to immediately remove the sign until such time that it meets the necessary requirements. If the sign is not removed within three (3) days from notification, Royal Palm Security will remove the sign.

If you have questions or require further clarification, please do not hesitate to contact the RPIA office. We look forward to continued and consistent cooperation with this very important process.

Thank you,

The Architectural Committee



Royal Palm Improvement Association, Inc.

1650 South Dixie Hwy., Suite 100, Boca Raton, FL 33432

BUILDING APPLICATION PACKAGE

APPLICATION FOR BUILDING PACKAGE

Table of Contents

Application Form	Page 1
Notes	Page 2
Section I – Submittal Requirements	Page 6
Section II – Fee Structure	Page 7
Section III - Submittal Notes	Page 7
Section IV - Changes	Page 8
Section V – Generators	Page 8-9
Section VI - Rules and Regulations	Page 10
Construction Close-Out Check List	Page 11
RPIA Administrative Close-Out Check List	Page 11
Example of Enumeration of Documents	Page 12
Affidavit of Final Inspection (Exterior Paint Color)	Page 13
Architect's "As-Built" Certification	Page 14
Permit Board Design/Construction Drawing	Page 15



Royal Palm Improvement Association, Inc.

APPLICATION FOR BUILDING

		Date:
Owner Name:		
Owner Address:		management of the control of the con
Owner Telephone:		
Owner Alternate Contact:		
Legal: Lot	Block	
Architect (if applicable):		
Architect Contact:		
Architect Telephone:	Architect	Cell No.
Builder/Contractor:		
Builder Contact:		
Builder Telephone:	Builder	Cell No.
PLEASE CHECK (as appropriate):	New Home Con	struction
Patio/driveway pavers	***************************************	Landscaping Plans
Roof Tile	-	Generator
Paint Color Change	ann fan handeligen	Entry Gates
Fences or walls		Windows and Doors
Miscellaneous (please descri	ibe)	

Version 3 - 052012

1

FIGURE 1




FIGURE 2





FIGURE 3



SECTION I

RPIA PLAN SUBMITTAL REQUIREMENTS

TO HELP SAVE TIME AND EXPENSES FOR BOTH RPIA AND THE ARCHITECTS/BUILDERS IT IS REQUIRED THAT PRELIMINARY PLANS BE SUBMITTED CONSISTING OF SITE PLANS, FLOOR PLANS AND ALL ELEVATIONS. (Plan submission will be reviewed twice a month).

WHEN SUBMITTING PLANS FOR FINAL APPROVAL:

- 1. MUST BE A COMPLETE SET (if incomplete, submittal will be returned NOT APPROVED);
- 2. One full set of plans with separate plan enumeration specifying dates and sheet numbers (see attached example page 12);
- 3. Plans must be signed and sealed by a registered Florida architect;
- 4. A signed and sealed survey must be submitted with application; signed and sealed site plan must show new structure.
- LANDSCAPE DRAWINGS, color samples, roofing materials as well as all hardscape materials (i.e., pavers, etc.) must be included with submission.
- 6. All building size tabulations must be in the RPIA format (as shown) and must be shown on the site plan.

BUILDING SIZE TABULATION FORM

Overall Proposed Size:		(gross square	feet)	
First Floor A/C:	Existing		New	
Second Floor A/C:				
Patios, Terrace, Garage:	Existing		New	
1 41103, 1011410, 111181	Existing	_	New	
Non A/C:	Existing	-	New	-
Total Area:	Existing	-	New	Total
SIZE OF CONSTRUCTION:				
Gross Area of Lot (Square Feet):_				
Gross Floor Area Percentage:				
A/C Percentage				

Application for Building

PLEASE NOTE THE FOLLOWING:

Demolition:

If you have received an approval for demolition of an existing house, the property must be sodded and irrigation installed 30 days after the demolition has occurred <u>OR</u> your plans to build have been submitted and approved by the Architectural Committee prior to that time. RPIA requires a demolition deposit of \$5000, (to be held in a special account for the purpose of adhering to the RPIA regulations, damage to neighboring properties and/or parking violations).

NOTE: RPIA requests the use of a silt fence barrier to be placed on the lot after Demolition of the existing house in order to avoid sand and/or soil from blowing into neighboring properties.

Prior to submission the total under roof square footage shall be calculated from any space within the drip-line of the roof minus the standard overhang used on the project. All A/C square footage should be calculated from the outside block face.

Do not count any two-story areas twice; i.e. stairs, elevators and any open space to the second floor. The non-A/C space should be calculated from outside face of block and/or outside line of column structure.

When considering the design of your project, take into account the size of the lot, the proximity of the adjacent homes and the overall massing according to the existing massing of the adjacent homes. <u>EACH HOME IS REVIEWED BASED ON ITS EXISTING SURROUNDINGS.</u>
(RPIA recommends using best efforts to try and maintain the existing character and streetscape in the Royal Palm Community).

We also request either an AUTO CAD or a .pdf file on a readable CD of the site plan, floor plans and elevations for our use in reviewing the submitted plans.

Enclosures: Overall Square Footage Illustration (Figure 1)

A/C Space Square Footage Illustration (Figure 2)
Non-A/C Space Square Footage Illustration (Figure 3)

(See Figures 1, 2 and 3 following this page)

RPIA Submittal Requirements

SECTION II

FEE STRUCTURE

- 1. NEW HOME FEE: \$0.50/Gross square foot (Non-refundable);
- 2. **SECURITY**: \$20,000.00 (Refundable)
- 3. **ADDITION/ALTERATION**: \$0.50/gross square foot or a minimum of \$750.00 (Non-refundable).
- 4. **SECURITY DEPOSIT FOR DEMOLITION**: \$5,000.00 (Refundable)

SECTION III

RPIA SUBMITTAL REQUIREMENTS/NOTES

The Architectural Committee requests the following applicable items be submitted prior to initiating any work on your residence:

RPIA Application Form must be completed (attached)

- 1. Signed and sealed drawings, including site plan with new structure, finished plans, elevation, etc. by a licensed Florida architect (need to include pools, spas, covered patios, and screened enclosure locations); a separate enumeration must be provided.
- 2. Signed and Sealed Survey
- 3. Patio/driveway pavers (manufacturer's brochure indicating style and color)
- 4. Roof tile (manufacturer's brochure indicating style and color)
- 5. Exterior house color sample chip with paint manufacturer's name, number and color name.
- 6. Fence material: (NOTE: Chain Link and Wood fences are not permitted, Plastic fences in approved areas only.) Color, height and specific location.
- 7. Affidavit from homeowner that they will request field inspection approval prior to painting the final color; (see page #13)
- 8. Site landscaping plans complete with species' name, heights, hedge locations and proposed tree locations.
- 9. Generator location and manufacturer, if applicable.
- 10. Entry gates at driveway cannot exceed six feet, eight inches (6'-8") in height at the center point and must be an <u>open metal gate</u>. Maximum height for gate posts (stanchions) supporting gate on either side cannot exceed six feet (6'-0"). In the 25' setback, stanchions and hedging shall not exceed 4'.
- 11. Replacement windows and doors (location and manufacturer's brochure indicating specific style and color).
- 12. Any permits issued by the City must be visibly posted behind the Builder Permit Board.

SECTION IV

CHANGES

- Any changes made during construction from the original plans must be submitted to be approved prior to the Certificate of Occupancy or RPIA will have the right to keep construction deposit.
- 2. Window locations changed from original submission;
- 3. Landscaping changes from original submission;
- 4. Any exterior changes from original submission;
- All revisions from the approved plans must be accompanied by a "clouded" drawing and narrative from the architect.
- 6. As-built drawings will be required with a certificate from the architect that the home was built in accordance with the approved plans and specs. (See Page #14).

The construction escrow deposits will be held in a separate account for the purpose of adhering to the RPIA Guidelines. The entire amount will be returned providing there are no violations during the course of construction.

The property must be maintained with appropriate sodding and irrigation up to the time of demolition. If, in the sole opinion of RPIA, the property is in a state of disrepair, RPIA will enter the property and take the appropriate actions after notice, in writing, to repair and maintain the property using the required deposit.

SECTION V

GENERATORS

The following guidelines and rules for stationary generators must be met. They are as follows:

- A copy of your survey must be submitted to the RPIA office showing the exact location of where
 the generator will be placed on the lot, size of generator, and list the supply of fuel (i.e. natural
 gas, propane gas, gasoline, etc.)
- 2. Maximum decibel level for exercising the generator cannot be higher than 72 decibels.
- The weekly exercising of generators cannot take place for more than approximately thirty (30)
 minutes per week and must take place between the hours of 2:00 pm and 4:00 pm, Monday
 through Saturday only.
- 4. Generators, including electrical transfer stations and any ancillary equipment, located above ground, may not be permitted within three (3) feet of any property line.
- 5. All generators, including electrical transfer stations and any ancillary equipment, must be fully landscape sight buffered with walls or landscape from the neighbors view (side and rear neighbors), golf course, or from the street view. If the generator and equipment cannot be fully (providing that the field color on the house has been approved by the Architectural Committee.)

sight buffered, all the equipment must be painted the same color as the field color on the house (providing that the field color on the house has been approved by the Architectural Committee.)

- 6. Generators may be placed in the side and rear setbacks of properties against the house structures. In no event shall they be permitted in the twenty-five (25) foot front setback of any property.
- 7. In the event that a generator is requested in the front of a structure and behind the twenty-five (25) foot setback, it must be painted the same color as the field color on the house (providing that the field color on the house has been approved by the Architectural Committee) and must be fully sight buffered with walls or landscape from the neighbors view or from the street view.
- 8. Non-stationary generators must be kept inside garages when not in use.

SECTION VI

RULES AND REGULATIONS FOR OWNERS AND CONTRACTORS

- 1. RPIA Building Plans: Part 1, Articles of Incorporation, Page 2, Paragraph 2a through Page 4, Paragraph 8a.
- Compacting must be done in small increments in order to reduce the size of the compacting equipment. The builders will pay for damages caused to neighboring properties.
- 3. Parking for construction workers shall be enforced on one side of the street. If a builder receives warning notices from Royal Palm Security, a fee of \$100.00 per incident will be imposed on the Owner.
- 4. RPIA Permit Boards will be set six feet (6') from the curb facing street.
- 5. The Permit Board should only be placed on the property upon the obtaining of a City Permit. If no Permit is affixed to the back of the Permit Board, RPIA shall provide a three day notice to the Builder to remove the Permit Board. If the Permit Board is not removed within those three days, the sign will be removed by RPIA at a cost of \$250.00 to the Owner of the Property. A weekly storage fee for the Permit Board of \$50.00 will be imposed along with an administrative fee of \$25.00. Any and all signs not picked up from RPIA within 30 days of removal will be disposed of.
- 6. All Permit Boards shall conform to the Permit Board Criteria attached herein.
- Port-O-Lets must be set at least fifteen feet (15') from the curb along the side property line and behind a tree or hedge, if available, with door facing <u>rear</u> of property.
- 8. Construction debris: All construction sites must be free of trash, weeds, and underbrush debris at all times. During construction of any residence or addition thereto, an owner shall provide a refuse dumpster for removal of trash and debris. Such dumpster shall remain on the lot, and not in the street, roadway or common areas, during the entire construction process. The dumpster must be emptied within 72 hours after the debris is visible from the street. If not emptied when full, RPIA may empty the dumpster and deduct the cost of doing so from the Construction Deposit deposited by the owner. No trash may be burned at any time.
- 9. Work hours, including delivery of supplies/materials: Monday through Friday 7:00 AM to 6 PM, Saturday 8:00 AM to 5 PM. Work is prohibited on Sundays and National Holidays. All work must comply with Federal, State and Local regulations. The Owner and Builder agree to specifically abide by the prohibition in this Agreement regarding construction activity on Sundays and National Holidays. The Owner and Builder understand and consent that no construction activity will occur on Sundays and National Holidays. If the Association, through their security force, at their sole discretion, determines that any construction activity has occurred on these days, the Owner and Builder will forfeit \$1,500.00 of the \$20,000.00 deposit monies. Such forfeiture will occur then (10) days after receipt of notice to the Association from security of a violation. Any dispute to a violation shall be heard by the Architectural Committee and their decision shall be final. The prevailing party in any dispute shall be entitled to reimbursement of any and all reasonable attorneys' fees and costs.
- 10. No animals or loud music shall be permitted on construction sites.
- No construction vehicles or construction equipment may be left on the job site for in excess of forty-eight (48)
 continuous hours and may not be left on a job site after 6:00 PM on Saturdays to 7:00 AM Monday.
- 12. All work must conform to RPIA approved plans. Any deviations must be corrected at owner's expense. Any changes must be submitted prior to work starting on changed items.
- 13. Notify the RPIA office with a copy of survey prior to pouring of the slab for Inspection #1 and for Inspection Final RPIA approval is contingent upon receipt, from owner, a copy of the City of Boca Raton Certificate of Occupancy.
- 14. The only fence approved for a construction site is the black silt fence. No other size or color fence will be allowed on site.

Version 3 - 052012

- 15. City constructed swales shall not be modified in the 1st ten (10) feet of the Owner's property.
- 16. Drainage is always a concern with regards to new construction. RPIA requires that you confirm with your builder and city engineer that there is adequate drainage for your property.
- 17. Notwithstanding anything to the contrary contained herein if the above Rules and Regulations are not being adhered to, RPIA will serve notice to the owner. If the Owner fails to cure within 24 hours, RPIA will use its discretion and construction deposit to cure items out of compliance with the By-laws and acceptable construction practice.
- 18. Upon initial start of construction, job site must have a 6' to 8' wide by 2" deep apron of gravel along the entire street scape on sites, (without curbing), to reduce dirt and mud run-off into the road.
- Upon completion of construction and installation of approved bollards, only black chains with reflectors will be used.
 No other colors are acceptable.

The above items, as well as all RPIA Building Guidelin	nes are understood and agreed to by owner.
Builder/Contractor Signature	Owner Signature
Date:	Date:

Version 3 - 052012

(For office use only)

RPIA APPROVAL CHECKLIST

	Approval Letter of Construction	
-	Form Board Slab Inspection	Date:
_	Homeowner or RPIA Progress Inspection	Date:
	RPIA ADMINISTRATIVE C	CLOSE-OUT CHECK LIST
-	Final property inspection (completed form	aboard)
-	Refund of deposit check	
Date:_		Received by:(RPIA Authorized Representative)
	RPIA HOMEOWNER CONSTRUC	TION CLOSE-OUT CHECK LIST
_	Certificate of Occupancy from the City of	Boca Raton
-	As-Built letter received from architect	
	Sign removed	
Date:		Received by: (PDIA Authorized Representative

SAMPLE ENUMERATION OF PLAN DOCUMENTS

Sheet No.	Description	Date	Revision	Sheet No
	ARCHITECTURAL			
A0-0	Cover Sheet	6/10/2008		A0-0
A0-1	Survey	6/10/2008		A0-1
A2-0	Key/Egress Plan	6/10/2008	ALL IN CORPORATION AND AND AND AND AND AND AND AND AND AN	A2-0
A2-1	Floor Plan	6/10/2008		A2-1
A3-0	Ceilng Plan	6/10/2008		A3-0
A4-0	Wall Sections	6/10/2008	CONTRACTOR OF THE PROPERTY OF	A4-0
A4-1	Details	6/10/2008		A4-1
A6-0	Finish Schedule	6/10/2008		A6-0
A6-1	Door Schedule/Details	6/10/2008		A6-1
SP-01	Specifications	6/10/2008		SP-01
SP-02	Specifications	6/10/2008		SP-02
SP-03	Specifications	6/10/2008		SP-03
SP-04	Specifications	6/10/2008		SP-04
	MECHANICAL			
M0.1	Mechanical Notes, Legend & Index	6/10/2008		M0.1
M2.1	Mechanical Plan	6/10/2008	322200000000000000000000000000000000000	M2.1
M2.2	Mechanical Roof Plan	6/10/2008		M2.2
M6.1	Mechanical Schedules	6/10/2008		M6.1
M7.1	Mechanical Details	6/10/2008		M7.1
	ELECTRICAL			
E0.1	Electrical Notes, Legend & Index	6/10/2008	angle on high the survey respect to the test of the high distribution is defined by the survey of th	E0.1
E2.1	Lighting Plan	6/10/2008		E2.1
E3.1	Power Plan	6/10/2008		E3.1
E4.1	Electrical Roof Plan	6/10/2008		E4.1
E5.1	Riser Diagram	6/10/2008		E5.1
E6.1	Panel Schedules	6/10/2008		E6.1
	FIRE ALARM			
FA0.1	Fire Alarm Notes	6/10/2008	N-U-A-A-	FA0.1
FA2.1	Fire Alarm Plan	6/10/2008		FA2.1
	PLUMBING	A.		
P0.1	Plumbing Notes	6/10/2008		P0.1
P2.1	Plumbing Plan	6/10/2008		P2.1



HOMEOWNER'S AFFIDAVIT OF FINAL INSPECTION PRIOR TO APPLICATION OF EXTERIOR PAINT COLOR

Names of Owner(s)		
inspection for color by an author	ized RPIA representative, on	Date of Application
For the residence located at		
	Address	
The inspection was done by	RPIA Representative	On
By:	RPIA Representativ	ve:
By:Homeowner(s)	THE RESPONDENCE	
Date:	Date Rec'd By RPI	A:

13

submission



ARCHITECT'S "AS-BUILT" CERTIFICATION

This will certify that the residence located at		has been
Address of Residence		
Built in accordance with the drawings and specifications provided by	Name of Firm	
As approved by the Royal Palm Improvement Association, Inc. on	Date of Approval	
D	ate:	
By: De Name of Architect	ate:	
License No.:	EAL)	

PERMIT BOARD CRITERIA

ROYAL PALM IMPROVEMENT ASSOCIATION

- 1. Application for Permit Boards will be processed through the RPIA Architectural Committee.
- 2. Permit Boards will be issued for all projects requiring permits be it new construction or renovations regardless of scope of work.
- 3. Only approved Permit Boards will be allowed on site.
- 4. The only allowable lettering on the Permit Board is the Building Company name and street number.
- 5. All Permit Boards must be placed on the lot, approximately 6' from the street. The sign must face the street of which the property is addressed.
- 6. Permit Boards must be properly maintained including paint, installation and general appearance.
- 7. Permit Boards placed on a job site must follow the completion guidelines set forth.
- 8. The Permit Board must be removed with receipt of Boca Raton's Certificate of Occupancy and RPIA's construction close out documents.

PERMIT BOARD CRITERIA ROYAL PALM IMPROVEMENT ASSOCIATION

SIGN WILL BE HIGH DENSITY URETHANE BOARD, LIGHTLY SANDBLASTED AND PAINTED. LOGO TO BE GOLD. BACKGROUND OF SIGN TO BE DARK NAVY BLUE. SIGN INCLUDES INSTALLATION AND PERMIT BOX.

